SAFETY DATA SHEET



AirX 75 – Disinfectant Spray & Wipe Cleaner

TIDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation:

AirX 75

Date of Safety Data Sheet:

Company Identification:

March 17, 2017

Use of Preparation:

Disinfectant Cleaner

Flexo Products Ltd.

4777 Kent Avenue

Niagara Falls, Ontario L2H 1J5 OFFICE: 905-354-2723

Company Emergency Telephone

Emergency Phone: 905-354-2723

Number

Transportation Emergency

Telephone Number

CANUTEC 613-996-6666 or * 666 for cell phone

22 HAZARDIDENIIIE CATION

Emergency Overview:

OSHA / WHMIS 2015 Hazards

Classification of substance or mixture

GHS-US/Canadian classification:

GHS Hazards

Oral Toxicity Category 4 H 302

Skin Corrosive Category 1A H314

Skin Sensitizer Category 1 H317

Eye Damage Category 1 H318

Label Elements

GHS-US/ Canada Labeling

Hazard Pictograms (GHS):



Signal Word (GHS): Danger **Hazard Statements (GHS):**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317- May cause allergic skin reaction.

H318 - Causes serious eye damage

Date: March 17, 2017

SDS Flexo Products Ltd AirX 75



Precautionary Statements (GHS):

P102: Keep out of reach of children.

P260: Do not breathe mist, spray, and vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing must not be allowed out of the work place

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Benzyl-C12-16-alkldimethyl, chlorides	68424-85-1	0.10-1.0	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Eye Irritation Category 1 – H318
Ethoxylated C12-16 Alcohols	68551-12-2	0.1-1.0	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage/Eye Irritation Category 1 – H318
Tetrasodium EDTA	64-02-8	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion / Irritant Category 2 – H315 Serious Eye Damage/Eye Irritation Category 2A – H319
Fragrance	various	0.05-1.0	Sensitisation / Skin Category 1 - H317



4 FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms persist consult physician.

Eye Contact: Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists, get medical

attention.

Skin Contact: Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

Ingestion: Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

Notes to Physician: Treatment based on judgment of attending physician.

5 FIRE FIGHTING MEASURES

Suitable extinguishing media:

Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable extinguishing media: None known.

Special exposure hazards Thermal decomposition releases irritating gases.

Special safety equipment: Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

Further information Keep containers and surrounding cool with water spray.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

Date: March 17, 2017 SDS Flexo Products Ltd AirX 75

SAFETY DATA SHEET



AirX 75 – Disinfectant Spray & Wipe Cleaner

7-HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Acids, oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection:

Use local exhaust or dilution ventilation.

Hand protection:

Chemical resistant gloves.

Eye protection:

Safety goggles or full face shield.

Skin protection:

Date: March 17, 2017

Use body-covering impervious clothing.

Working hygiene:

Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

Exposure Guidelines:

No ingredients with exposure limits

SDS Flexo Products Ltd AirX 75

Page 4 of 10



9) PHYSICALIAND CHEMICAL PROPERTIES					
Physical and Chemical Properties					
Physical State	Liquid				
Appearance	Clear	Odour	mild		
Colour	Green.	Odour Threshold	No data available.		
Property	Values	Remarks/Method	110 data available.		
rioperty	<u>values</u>	<u>Kemarko/metries</u>	•		
рН	10.30-11.5	None known			
Melting/Freezing Point	No data available	None known			
Boiling Point/Range	No data available	None known			
Flash Point	Not applicable.	None known			
Evaporation Rate	Similar	None known			
Flammability (solid, gas)	Not flammable	None known			
Flammability Limit in Air:					
Upper Limit	No data available	None known			
Lower Limit	No data available	None known			
Vapour Pressure	No data available	None known			
Vapour density	No data available	None known			
Bulk Density	1.04-1.059 g/cm3				
Water Solubility	Soluble in water.	None known			
Solubility Other Solvents	No data available	None known			
Partition Coefficient:					
n-octanol/water	No data available	None known			
Autoignition temperature	No data available	None known			
Decomposition	No data available	None known			
Temperature					
Kinematic Viscosity	No data available	None known			
Dynamic Viscosity	No data available	None known			
Explosive Properties	No data available	None known			
Oxidizing Properties	No date available	None known			
Other Branaries					
Other Properties: Softening Point	No data available				
VOC Content %	No data available				
Particle Size	No data available				
Particle Size Distribution	No data available				
i article Olze Distribution	110 data available				



10 STABILITY AND REACTIVITY

Reactivity

Stable at normal ambient temperature and pressure.

Chemical stability

Stable under recommended handling and storage conditions (see

section 7).

Thermal decomposition/conditions to

avoid:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Conditions to avoid

Hazardous polymerization will not occur. Extremely high or low temperatures.

Hazardous decomposition products

Carbon oxides (CO, CO2). Sodium oxides.

Materials to avoid

Reducing agents, oxidizing agent. Strong acids.

Hazardous polymerization

Will not occur

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Not calculated

On the skin: Causes severe skin irritation. On the eye: Causes serious eye damage.

Respiratory or Skin Sensitization: Fragrance classified as skin sensitizer.

Additional toxicological information:

Carcinogenicity:
Chemical Name None

12 ECOLOGICAL INFORMATION IN THE RESERVE OF THE RES

Toxicity:

Not classified

Persistence and Degradability:

Not available

Bioaccumulative Potential:

Not available

Mobility in Soil:

Not available.

Other Adverse Effects

Other Information:

All of the organic components of this product are readily biodegradable.



13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 5 litres can be shipped Limited Quantity)

Proper Shipping Name: Corrosive Liquid, N.O.S. Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8 ID Number: UN 1760 Packing Group: III



US DOT: Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S. Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8 ID Number: UN 1760 Packing Group: III





Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S. Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8 ID Number: UN 1760 Packing Group: III



Air Transportation (IATA): Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8 ID Number: UN 1760 Packing Group: III



15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

Date: March 17, 2017

SDS Flexo Products Ltd AirX 75

SAFETY DATA SHEET



AirX 75 – Disinfectant Spray & Wipe Cleaner

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL

AICS Complies

Legend:

PICCS

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical

Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

Date: March 17, 2017 SDS Flexo Products Ltd AirX 75



16. OTHER INFORMATION TO THE REPORT OF THE PROPERTY OF THE PRO

Prepared By:

Flexo Products Ltd.

4777 Kent Avenue Niagara Falls, Ontario

L2H 1J5 905-354-2723

Issuing Date:

March 17, 2017

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet