ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839 Emergency: 800-255-3924 (ChemTel) International Emergency: 00+ 1+ 813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICAT	ION
Product Name:	FAST ORANGE PUMICE LOTION 7.5 FL.OZ
Item No:	25108
Product Type:	Waterless hand cleaner

2. COMPOSITION/INFORMATION ON INGREDIENTS					
Component	Weight%	ACGIH; TLV-TWA	OSHA PEL		
WATER 7732-18-5	>75	Not listed	Not listed		
PUMICE 1332-09-8	<10	10 mg/m ³ (inhal); 3 mg/m ³ (resp) ACGIH	Not listed		
ETHOXYLATED C11-C16 ALCOHOL 127036-24-2	<5	Not listed	Not listed		
D-LIMONENE 5989-27-5	0.1-1.0	Not listed	Not listed		

3. HAZARDS IDENTIFICATION

Signs and Symptoms of Exposure:

Toxicity:

May irritate the eyes. May cause skin sensitization. Eye and skin contact, ingestion, inhalation None under normal conditons of use.

Component	Weight%	NTP	ACGIH Carcinogens	IARC Carcinogen
D-LIMONENE 5989-27-5	0.1-1.0	male rat-clear evidence; female rat- no evidence; male mice-no evidence; female mice-no evidence		Group 3 Monograph 73, 1999

Aggravated Medical Condition:

Primary Routes of Entry:

None known.

4. FIRST AID MEASURES

Ingestion:	If swallowed, do not induce vomiting - seek medical advice.		
Inhalation:	Immediate medical attention is not required.		
Skin Contact:	Flush with water.		
Eye Contact:	Flush with water. If eye irritation persists, get medical attention.		

5. FIRE FIGHTING MEASURES

Flash Point °F(C°): Recommended Extinguishing Media: Special Fire-Fighting Procedures: Hazardous Products of Combustion: Unusual Fire/Explosion Hazards:

Lower Explosive Limit: Upper Explosive Limit: None anticipated None. N/D

No special procedures.

Carbon dioxide, Water, dry chemical

>200°F CC

N/D

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Rinse away with water or wipe up with a towel.

None

California Proposition 65: No California Prop 65 chemicals are known to be present

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION Estimated NFPA Rating: Estimated HMIS Classification: (NFPA is a registered trademark of the National Fire Protection Association)

(NFPA is a registered trademark of the National Fire Protection Association) (HMIS is a registered trademark of the National Paint and Coatings Association)

Prepared By:	Denise Boyd, Manager-Environmental, Health & Safety	Revision Date: May 17, 2013
Company:	ITW Permatex 10 Columbus Blvd. Hartford, CT USA 06106	Revision Number: 1
Telephone No.:	1-87-Permatex (877) 376-2839	