

**SAFETY DATA SHEET** Prepared according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals. (23.06.2017 - No: 30105)

**GREASECUTTER PLUS** 

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	:	GREASECUTTER PLUS
Product code	:	103970E
Use of the Substance/Mixture	:	Grill Cleaner
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.
1.2 Relevant identified uses of	the	substance or mixture and uses advised against
Identified uses	:	Oven/Grill Cleaner. Spray and wipe manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.
1.3 Details of the supplier of the	e sa	afety data sheet
Company	:	Ecolab Temizleme Sistemleri Ltd. Şti Esentepe Mahallesi, Cevizli - Esentepe E-5 Yanyol Caddesi Vizyon Bulvar No: 13, Kat 1 No: 65 Turkey TR 34870 KARTAL / ISTANBUL +90 (216) 458 69 00, Fax: +90 (216) 458 69 07
Company	:	Ecolab Gulf FZE P.O. Box 17063 Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone, Dubai UAE 00971 4 8014444 Customer Services
		Nalco Egypt Trading 5th Settlement, South 90th St. The Address Building No 67th – 1st floor, New Cairo, Cairo, Egypt 11835 0020 2 25 37 1195
		Ecolab Maroc S.A.R.L. Centre Green Works Batiment B, Bureau N° 13 , 109 Route de Bouskoura, Sidi Maarouf, 27182, Casablanca, Morocco 00212 22 58 25 30 - 35
Company	:	Ecolab Food Safety & Hygiene Solutions Pvt. Ltd WeWork, 247 Park Bus Stop, 13th floor, 247 Park, Hindustan C, LBS Road, Gandhi Nagar, Vikhroli West,
103970E		1 / 14

Mumbai, Maharashtra. 400 079, India Phone: +91 22 48808555, +91 22 48808535 Toll free number: 1800 209 2530

# 1.4 Emergency telephone number

Emergency telephone number	:	+32-(0)3-575-5555 Trans- European
Poison Information Centre telephone number	:	114 Ulusal Zehir Danışma Merkezi (UZEM)
Date of Compilation/Revision Version	:	21.07.2022 2.1

# Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification (T.R. SEA No 28848)

Corrosive to metals, Category 1	H290
Skin corrosion, Category 1A	H314
Serious eye damage, Category 1	H318

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

#### 2.2 Label elements

Labelling (T.R. SEA No 28848 Hazard pictograms		
Signal Word	: Danger	
Hazard Statements	: H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Supplemental Hazard Statements	: EUH071	Corrosive to the respiratory tract.
Precautionary Statements	Prevention: P260 P280	Do not breathe spray. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P303 + P361 + P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P305 + P351 + P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
3970E	2/14	

Hazardous components which must be listed on the label: sodium hydroxide monoethanolamine

#### 2.3 Other hazards

None known.
Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No. EC-No.	Classification (T.R. SEA No 28848)	Concentration : [%]
sodium hydroxide	1310-73-2 215-185-5	Skin corrosion Category 1A; H314 Corrosive to metals Category 1; H290 Skin corrosion Category 1A H314 >= 5 % Skin corrosion Category 1B H314 2 - < 5 % Skin irritation Category 2 H315 0.5 - < 2 % Eye irritation Category 2 H319 0.5 - < 2 %	>= 3 - < 5
monoethanolamine	141-43-5 205-483-3	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Acute toxicity Category 4; H312 Skin corrosion Sub-category 1B; H314 Chronic aquatic toxicity Category 3; H412 Specific target organ toxicity - single exposure Category 3; H335 Specific target organ toxicity - single exposure Category 3 H335 5 - 100 %	>= 2.5 - < 3
Amines, C12-14 alkyldimethyl, N-oxides	308062-28-4	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 2; H411 M = 1	>= 0.1 - < 0.25

# 4.1 Description of first aid measures

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, give 2 glasses of water. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

# Section: 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
	Unsuitable extinguishing media	:	None known.		
5.2	5.2 Special hazards arising from the substance or mixture				
	Specific hazards during firefighting	:	Not flammable or combustible.		
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) metal oxides		
5.3	Advice for firefighters				

# Special protective equipment : Use personal protective equipment. for firefighters : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

# Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

# 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
-------------------------	---

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

# Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	
7.2 Conditions for safe storage, including any incompatibilities		

Requirements for storage areas and containers	:	Do not store near acids. Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original packaging. Store in suitable labeled containers.
Storage temperature	:	-5 °C to 40 °C

Packaging material	:	Suitable material: Plastic material Unsuitable material: Mild steel, Aluminium
7.3 Specific end uses		

Specific use(s) : Oven/Grill Cleaner. Spray and wipe manual process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.		Value type (Form of exposure)	Control parameters	Basis
monoethanolamine	141-43-5		STEL 15 min	3 ppm 7.6 mg/m3	TR OEL
Further information	Deri		notation assigned to the through the skin.	he OEL identifies the possibility	of significant
			TWA (8 Hour)	1 ppm 2.5 mg/m3	TR OEL
Further information	Deri		notation assigned to the through the skin.	he OEL identifies the possibility	of significant
			TWA	1 ppm 2.5 mg/m3	2006/15/EC
Further information		Indicative			
	skin	Identifies the possibility of significant uptake through the skin		n	
			STEL	3 ppm 7.6 mg/m3	2006/15/EC
Further information		Indica	tive	· · · · · · · · · · · · · · · · · · ·	
	skin	Identif	ies the possibility of si	gnificant uptake through the ski	n
monoethanolamine	141-43	-5	TWA	3 ppm 7.5 mg/m3	ARE OEL
			STEL	6 ppm 15 mg/m3	ARE OEL

## DNEL

DINEL		
sodium hydroxide :		Use: Workers osure routes: Inhalation ential health effects: Long-term local effects ue: 1 mg/m3
	Exp	Use: Consumers osure routes: Inhalation ential health effects: Long-term local effects ue: 1 mg/m3

#### 8.2 Exposure controls

#### Appropriate engineering controls

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Individual protection measures

Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	:	Safety goggles Face-shield
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	:	When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A-P
Environmental exposure contr	ro	Is
General advice	:	Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: dark yellow
Odour	: odourless
рН	: 12.9 - 13.9, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture

Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 1.05 - 1.065
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

#### Section: 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Acids

Mild steel Aluminium

#### **10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx)

metal oxides

# Section: 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

#### Product

Acute oral toxicity		Acute toxicity estimate : > 2,000 mg/kg
-		
Acute inhalation toxicity	:	4 h Acute toxicity estimate : > 5 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.
STOT - repeated exposure	:	There is no data available for this product.
Aspiration toxicity	:	There is no data available for this product.
Components		
Acute oral toxicity	:	monoethanolamine LD50 rat: 1,089 mg/kg
		Amines, C12-14 alkyldimethyl, N-oxides LD50 rat: 1,064 mg/kg
Components		
Acute inhalation toxicity	:	monoethanolamine 4 h LC50 rat: > 1.6 mg/l Test atmosphere: dust/mist
Components		
Acute dermal toxicity	:	monoethanolamine LD50 rabbit: 1,025 mg/kg
070F		

# Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human expe	osure
Experience with human experience with human experience	sure : Redness, Pain, Corrosion
Eye contact	: Redness, Pain, Corrosion

# Section: 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Amines, C12-14 alkyldimethyl, N-oxides96 h LC50: 2.67 mg/l
Components	
Toxicity to daphnia and other	: sodium hydroxide48 h EC50 Daphnia magna (Water flea): 40 mg/l
aquatic invertebrates	monoethanolamine48 h LC50 Daphnia magna (Water flea): 65 mg/l
	Amines, C12-14 alkyldimethyl, N-oxides48 h EC50 Daphnia magna (Water flea): 3.1 mg/l
Components	
Toxicity to algae	: Amines, C12-14 alkyldimethyl, N-oxides72 h LC50: 0.143 mg/l 72 h NOEC: 0.067 mg/l

# 12.2 Persistence and degradability

Product	
Biodegradability	: The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components	
Biodegradability	: sodium hydroxideResult: Not applicable - inorganic
	monoethanolamineResult: Readily biodegradable.
	Amines, C12-14 alkyldimethyl, N-oxidesResult: Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

#### Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

ce with local, this product redefine and
ce with local,
uld be taken sposal. Do
ncineration. If ainer in in an

assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	<ul> <li>1824</li> <li>SODIUM HYDROXIDE SOLUTION</li> <li>8</li> <li>III</li> <li>No</li> <li>None</li> </ul>
Air transport (IATA) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	<ul> <li>1824</li> <li>Sodium hydroxide solution</li> <li>8</li> <li>III</li> <li>No</li> <li>None</li> </ul>
Sea transport (IMDG/IMO) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	<ul> <li>1824</li> <li>SODIUM HYDROXIDE SOLUTION</li> <li>8</li> <li>III</li> <li>No</li> <li>None</li> <li>Not applicable.</li> </ul>

#### Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : less than 5 %: Amphoteric surfactants

Regulation EC 648/2004

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations

According to 11 December 2013, Numbered 28848 (Bis), "Ministry of Environment and Forestry"; Regulation on Classification, Labelling and Packaging of Substances and Mixtures.
 Prepared according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals. (23.06.2017 - No: 30105)

#### **15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

#### Section: 16. OTHER INFORMATION

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008 and Regulation T.R. SEA No 28848

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Skin corrosion 1A, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment

#### Full text of H-Statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

 Name, Surname: Betul Sevim Certificate number: LONCA KDU 98 / 2022. 06 Certificate date: 05.02.2022 Certificate expiry date: 05.02.2027 Contact: +90 216 458 6962

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.