MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Seal-Krete® EPOXY SEAL

PART NUMBER: 920001, 920005, 921001, 92105, 940001, 940005, 922001, 922005, 924001, 924005

GENERAL USE: Protective coating

PRODUCT DESCRIPTION: Liquid, various colors, characteristic odor



MANUFACTURER'S NAME		DATE PREPARED: April 10, 2006	Dogo 1 of 4				
Seal-Krete		SUPERSEDES: March 7, 2004	Page 1 of 4				
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION					
306 Gandy Road		(800) 323-7357					
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER					
Auburndale, FL 33823-2723	USA	Chemtrec (800) 424-9300 Outside USA (703) 527-3887					
DISTRIBUTOR'S NAME							
Same							
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION					
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER					

SECTION 2	' - HAZA	RDOUS INGKE	DIENIS		
HAZARROUS COMPONENTS	%	CAC#	FINECS #	Hazard	RISK PHRASES
HAZARDOUS COMPONENTS	(by weight)	CAS#	EINECS#	Symbol	Full Text Section 16
Dipropylene glycol mono-n-propyl ether	1 - 5	29911-27-1	249-949-4	Xi	R-36

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Mild liquid, contact with eyes may cause severe irritation, prolonged contact with skin may cause irritation. Ingestion may cause gastric distress. Hazard Symbols for this product - Xi Risk Phrases - R36

POTENTIAL HEALTH EFFECTS

INHALATION: None expected, however, certain individuals may experience minor nausea or headaches. Breathing airborne particles or dust from mixing, spraying, sanding, grinding, etc. may cause irritation to respiratory tract.

SKIN: None expected, however, prolonged contact may cause irritation.

EYES: Contact with eyes may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® EPOXY SEAL

April 10, 2006 Page 2 of 4

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Evacuate all non-trained personnel. Ventilate area. Confine spill, soak up with approved absorbent, shovel product into approved container for disposal by licensed facility. Wash area with plenty of water. Do not discharge into lakes, ponds, streams or public waters.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
HAZARDOUS COMPONENTS	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3

Dipropylene glycol mono-n-propyl ether

Not established

Not established

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910.134 or European Standard EN 149 for regulations.

PROTECTIVE GLOVES: Recommended for general protection

EYE PROTECTION: Safety glasses recommended for general protection Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET PRODUCT NAME: Seal-Krete® EPOXY SEAL Page 3 of 4 April 10, 2006 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES VAPOR PRESSURE APPEARANCE AND ODOR Liquid, various colors, characteristic odor 17 mm Hg @ 20° C SPECIFIC GRAVITY (WATER = 1) 7.0 - 8.0BOILING POINT / BOILING RANGE SOLUBILITY IN WATER 212° F (100° C) **Emulsifies** FLASH POINT VISCOSITY Non-flammable Not specified VAPOR DENSITY (AIR = 1) FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable AUTOIGNITION TEMPERATURE **EVAPORATION RATE (WATER = 1)** Not established VOLATILE ORGANIC COMPOUNDS (VOC's) < 100 grams / liter

SECTION 10 - STABILITY AND REACTIVITY

STABILITY UNSTABLE: CONDITIONS TO AVOID: Extreme temperatures.

STABLE: X

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

HAZARDOUS POLYMERIZATION MAY OCCUR: CONDITIONS TO AVOID: None

WILL NOT OCCUR: X

SECTION 11 - TOXICOLOGICAL INFORMATION

	LD50 of Ingredient	LC50 of Ingredient		
EINECS #	(Specify Species and Route)	(Specify Species)		
29911-27-1 249-949-4	1620 mg / kg Oral - rat	Not established		
	29911-27-1	29911-27-1 1620 mg / kg		

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. This product may produce concentrated hazardous vapors in a disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Packaging Group: Not regulated IATA HAZARD CLASS / Packaging Group: Not regulated

REFERENCE: Not Applicable IMDG HAZARD CLASS: Not regulated

UN / NA IDENTIFICATION NUMBER: None RID / ADR Dangerous Goods Code: Not regulated

LABEL: None Required

UN TDG Class / Packaging Group: Not regulated

HAZARD SYMBOLS: None Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® EPOXY SEAL

Page 4 of 4 April 10, 2006

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

None

CERCLA (USA - Comprehensive Response Compensation and Liability Act)

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: nwg VbK Index: Not applicable

RISK PHRASES: R36 Irritating to eyes. SYMBOL(S) REQUIRED FOR

LABEL

SAFETY PHRASES:

S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes.

Irritant



SECTION 16 - OTHER INFORMATION

Notes & full R-Phrase text

R36 Irritating to eyes.

HMIS HAZARD RATINGS

HEALTH FLAMMABILITY PHYSICAL HAZARD * = Chronic Health Hazard 0 = INSIGNIFICANT

2 = MODERATE 3 = HIGH

PERSONAL PROTECTIVE EQUIPMENT

0 1 = SLIGHT 4 = EXTREME

Α Safety Glasses

REVISION SUMMARY:

This MSDS has been revised in the following sections:

Complete format revision

1

n

MSDS Prepared by:

Comprehensive Data Base, Inc.

P.O. Box 395

Intercession City, FL 33848 USA

(863) 644 - 3298

www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.