

SAFETY DATA SHEET

Creation Date 26-Jun-2009

Revision Date 17-Jan-2018

Revision Number 4

1. Identification

S181-100; S181-25; S181-500; S181-500LC

Product Name Silver nitrate

Cat No. :

CAS-No Synonyms 7761-88-8 Nitric acid, silver salt.

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Category 2
Category 1
Category 1 B
Category 1
Category 3
Category 2

Label Elements

Signal Word Danger

Hazard Statements

May intensify fire; oxidizer May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Keep only in original container

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

C	component	CAS-No	Weight %
S	ilver nitrate	7761-88-8	>95
	4.	First-aid measures	
General Advice	neral Advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.		
Skin Contact		Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.	
Inhalation	ation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth n victim ingested or inhaled the substance; give artificial respiration with the aid of a p		

	mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or Poison Control Center immediately.	
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.	
Most important symptoms and effects	Causes burns by all exposure routes Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus shoul be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	
	5. Fire-fighting measures	
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.	
Unsuitable Extinguishing Media	Carbon dioxide (CO2)	
Flash Point Method -	No information available No information available	
Autoignition Temperature Explosion Limits Upper Lower Oxidizing Properties	No data available No data available Oxidizer	

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Corrosive Material. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Nitrogen oxides (NOx)

Storage

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 3	Flammability 0	Instability 2	Physical hazards OX
	6. Accidental re	elease measures	
Personal Precautions		quipment. Evacuate personnel t mation. Do not get in eyes, on sl	
Environmental Precautions		to the environment. See Section	
Methods for Containment and Cle Up		suitable container for disposal.	ed material. Sweep up or vacuum Keep in suitable, closed containers
	7. Handling	and storage	
Handling	•		otective equipment. Do not get in Do not breathe dust. Keep away

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near

from clothing and other combustible materials.

combustible materials.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Silver nitrate	TWA: 0.01 mg/m ³	(Vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.01 mg/m ³
			TWA: 0.01 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Z . T T Y	sical and chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	5.4-6.4 10% aq solution
Melting Point/Range	212 °C / 413.6 °F
Boiling Point/Range	444 °C / 831.2 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	
Decomposition Temperature	> 444°C
Viscosity	Not applicable
Molecular Formula	Ag N O3
Molecular Weight	169.87
-	

10. Stability and reactivity				
Reactive Hazard	Yes			
Stability	Oxidizer: Contact with combustible/organic material may cause fire. Light sensitive.			
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Combustible material. Exposure to light.			
Incompatible Materials	Strong oxidizing agents, Strong reducing agents, Combustible material, Metals, Amines			
Hazardous Decomposition Products Nitrogen oxides (NOx)				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			
	11. Toxicological information			

Acute Toxicity

Product Information

Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silver nitrate	> 2000 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic Products	No information available		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

Irritation Causes burns by all exposure routes

Sensitization

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Silver nitrate	7761-88-8	Not listed	Not listed	Not listed	Not listed	Not listed
IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer))	
				arcinogenic to Huma		
				Probably Carcinoger Possibly Carcinogen		
Mutagenic Effects		No information ava	'	Fossibly Carcinogen		
Mulagenic Enecis		No information ave				
Reproductive Effects	s	No information ava	ailable.			
	5					
Developmental Effect	cts	No information ava	ailable.			
Teratogenicity		No information ava	ailable.			
STOT - single exposure		Respiratory system				
STOT - repeated exp	osure	Liver Kidney				
Appiration honord		No information available				
Aspiration hazard		No information ava	allable			
Symptoms / effects,	both acute and	Product is a corros	eiva matarial Ilea	of asstric lavage of	or amasis is contrai	indicated
delayed		Possible perforation		0 0		
uelayeu		severe swelling, se			v v	
		covere ewonning, or				
Endocrine Disruptor	Information	No information ava	ailable			
Other Adverse Effec	ts	The toxicological p	roperties have not	been fully investig	jated.	

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Silver nitrate	Not listed	Leuciscus idus: LC50: 0.029	Photobacterium	EC50: 0.0006 mg/L/48h
		mg/L/96h	phosphoreum: EC50: 0.038	(M = 100 acute)
		_	mg/L/24h	(M = 1000 chronic)
			Photobacterium	
			phosphoreum: EC50: 0.395	
			mg/l/15min	
			Photobacterium	
			phosphoreum: EC50: 0.44	
			mg/L/30 min as Ag++	
			Photobacterium	
			phosphoreum: EC50: 0.86	
			mg/L/15 min as Ag++	
ersistence and Degrad	lability Soluble in v	ater Persistence is unlikely	based on information avail	lable.

Persistence and Degradability

Bioaccumulation/Accumulation No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Silver nitrate	0.19

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information								
DOT								
UN-No	UN1493							
Proper Shipping Name	SILVER NITRATE							
Hazard Class								
Subsidiary Hazard Class	Subsidiary Hazard Class 8							
Packing Group								
TDG								
UN-No	UN1493							
Proper Shipping Name SILVER NITRATE								
Hazard Class 5.1								
Packing Group	p II							
IATA								
UN-No	UN1493							
Proper Shipping Name	Silver nitrate							
Hazard Class	5.1							
Packing Group	II							
IMDG/IMO								
UN-No	UN1493							
Proper Shipping Name	Silver nitrate							
Hazard Class	5.1							
Packing Group	I							
	15. Regulatory information							

International Inventories

Component TSCA DSL NDSL EINECS ELINCS NLP PICCS ENCS AICS IECSC K

	Silver nitrate	Х	Х	-	231-853-9	-		Х	Х	Х	Х	Х
--	----------------	---	---	---	-----------	---	--	---	---	---	---	---

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver nitrate	7761-88-8	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Silver nitrate	X	1 lb	X	-

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component		Hazardous Substances RQs	CERCLA EHS RQs
Silver nitrate		1 lb	-
California Proposition 65	This product	does not contain any Proposition 65 che	emicals

U.S. State Right-to-Know

Regulations

ſ	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Γ	Silver nitrate	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade	No information available				
	16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com				
Creation Date Revision Date Print Date Revision Summary	26-Jun-2009 17-Jan-2018 17-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS