SAFETY DATA SHEET

1. Identification

Product identifier CARB MEDIC CARBURETOR CLEANER

Other means of identification

SDS number M4814

Part No. M4814, M4824 Tariff code 3814.00.2000

Recommended use Carburetor Cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

RSC Chemical Solutions Company name **Address** 600 Radiator Road Indian Trail, NC 28079

United States

Telephone **Customer Service:**

> Technical: (704) 684-1811

Website www.rscbrands.com

E-mail Not available.

Emergency Telephone: (303) 623-5716 **Emergency phone number**

> **Emergency Contact:** RMPDC (877-740-5015)

(704) 821-7643

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1 **Health hazards** Acute toxicity, oral Category 4 Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2 Reproductive toxicity (the unborn child) Category 2 Specific target organ toxicity, repeated Category 1 exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

Hazardous to the aquatic environment,

Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Extremely flammable aerosol. Harmful if swallowed. Causes skin irritation. Causes serious eye **Hazard statement** irritation. Harmful if inhaled. Harmful if inhaled. Suspected of causing cancer. Suspected of

damaging the unborn child. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe gas. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If

inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison

center/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash

before reuse. Collect spillage.

Storage Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 3% of the mixture consists of component(s) of unknown acute oral toxicity. 3% of the mixture

consists of component(s) of unknown acute inhalation toxicity. % of the mixture consists of component(s) of unknown acute inhalation toxicity. 65.74% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 65.74% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DICHLOROMETHANE		75-09-2	60 - < 70
BENZENE, DIMETHYL		1330-20-7	10 - < 20
BENZENE, METHYL-		108-88-3	10 - < 20
Carbon Dioxide		124-38-9	1 - < 3
ETHYLBENZENE		100-41-4	1 - < 3

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

symptoms/effects, acute and

delayed

Indication of immediate

Most important

medical attention and special

treatment needed

Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may

cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Powder. Foam. Carbon dioxide (CO2). Suitable extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

Extremely flammable aerosol.

General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not breathe gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Isolate area until gas has dispersed. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe mist or vapor. Do not breathe gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulate Components	d Substances (29 CFR 1910.100 Type	l1-1050) Value
DICHLOROMETHANE (CAS 75-09-2)	STEL	125 ppm
	TWA	25 ppm
US. OSHA Table Z-1 Limits for A	ir Contaminants (29 CFR 1910.	1000)
Components	Type	Value
BENZENE, DIMETHYL (CAS 1330-20-7)	PEL	435 mg/m3
,		100 ppm

US. OSHA Table Z-1 Limit Components		Type	(=0 OI IX 1010.100	•	lue
Carbon Dioxide (CAS 124-38-9)		PEL		90	00 mg/m3
,				50	00 ppm
ETHYLBENZENE (CAS		PEL		43	5 mg/m3
100-41-4)				10	0 ppm
US. OSHA Table Z-2 (29 C	CFR 1910.1000)				
Components	•	Type		Va	lue
BENZENE, METHYL- (CAS 108-88-3)	3	Ceiling	9	30	0 ppm
		TWA		20	0 ppm
US. ACGIH Threshold Lin	nit Values				
Components		Type		Va	lue
BENZENE, DIMETHYL (CAS 1330-20-7)		STEL		15	0 ppm
(5/15/1000/20-1)		TWA		10	0 ppm
BENZENE, METHYL- (CAS		TWA			ppm
108-88-3) Carbon Dioxide (CAS		STEL		30	000 ppm
124-38-9)					• •
		TWA		50	00 ppm
DICHLOROMETHANE (CAS 75-09-2)	•	TWA		50	ppm
ETHYLBENZENE (CAS 100-41-4)		TWA		20	ppm
US. NIOSH: Pocket Guide	to Chemical Haza	ards			
Components		Туре		Va	lue
BENZENE, METHYL- (CAS 108-88-3)	3	STEL		56	0 mg/m3
					0 ppm
	•	TWA			5 mg/m3
0 1 51 11 1010					0 ppm
Carbon Dioxide (CAS 124-38-9)		STEL			000 mg/m3
					000 ppm
		TWA			00 mg/m3
ETUVI DENIZENE (CAC		QTF1			00 ppm
ETHYLBENZENE (CAS 100-41-4)	•	STEL			5 mg/m3
		T\^/^			5 ppm
		TWA			5 mg/m3
				10	0 ppm
ogical limit values					
ACGIH Biological Exposu Components	ıre Indices Value		Determinant	Specimen	Sampling Time
					*
BENZENE, DIMETHYL (CAS 1330-20-7)	1.5 g/g		Methylhippuric acids	Creatinine in urine	•
	S 0.3 mg/g		o-Cresol, with	Creatinine in	*
DENZENE, METHIL- (CA			hydrolysis	urine	
	0.03 mg/l		Toluene	Urine	*
BENZENE, METHYL- (CAS 108-88-3) DICHLOROMETHANE	0.03 mg/l 0.02 mg/l 0.3 mg/l		Toluene Toluene Dichlorometha	Urine Blood Urine	* *

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
ETHYLBENZENE (CAS 100-41-4)	0.15 g/g	Sum of mandelic acid and phenylglyoxylic acid	Creatinine in urine	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

BENZENE, METHYL- (CAS 108-88-3)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

BENZENE, METHYL- (CAS 108-88-3) Skin designation applies.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.

Physical stateLiquid, Gas.FormAerosol.ColorColorless

Odor Typical Hydrocarbon/Chlorinated

Odor threshold Not available. pH Not available.

Melting point/freezing point -139 °F (-95 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point None

Evaporation rate Not available.

Flammability (solid, gas) Not applicable. Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

1.3 % estimated

Flammability limit - upper

7 % estimated

(/0)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 579.94 hPa estimated

Vapor density Not available.

Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient**

(n-octanol/water)

Auto-ignition temperature

896 °F (480 °C) estimated

Decomposition temperature Not available. < 1 cSt **Viscosity**

Other information

Density 9.44 lbs/gal estimated

Not explosive. **Explosive properties**

Flame extension > 31 in Flammability (flash back) No

Heat of combustion (NFPA

30B)

10.92 kJ/g estimated

Oxidizing properties Not oxidizing. 97 % estimated Percent volatile 1.13 estimated Specific gravity 44 % w/w VOC (Weight %)

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents. Halogens. No hazardous decomposition products are known. Hazardous decomposition

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by

inhalation.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful if swallowed.

Test Results Components **Species**

BENZENE, DIMETHYL (CAS 1330-20-7)

Acute Dermal

LD50 Rabbit > 43 g/kg

Inhalation

LC50 Mouse 3907 mg/l, 6 Hours

> Rat 6350 mg/l, 4 Hours

Oral

LD50 1590 mg/kg Mouse

Components **Test Results Species** 3523 - 8600 mg/kg Rat BENZENE, METHYL- (CAS 108-88-3) **Acute Dermal** LD50 Rabbit 12124 mg/kg 14.1 ml/kg Inhalation LC50 Mouse 5320 ppm, 8 Hours 400 ppm, 24 Hours Rat 26700 ppm, 1 Hours 12200 ppm, 2 Hours 8000 ppm, 4 Hours Oral LD50 Rat 2.6 g/kg DICHLOROMETHANE (CAS 75-09-2) **Acute** Inhalation LC50 Guinea pig 11600 ppm, 6 Hours 40.2 mg/l, 6 Hours 14400 ppm, 7 Hours Mouse 56.23 mg/l, 7 Hours 51.5 mg/l, 2 Hours 49.1 mg/l, 6 Hours Rat 2000 mg/l, 15 Minutes 88 mg/l, 900 Days 79 mg/l, 2 Hours 52 mg/l, 6 Hours LD50 Mouse 16000 ppm, 7 Hours Oral LD50 Rat 1600 mg/kg ETHYLBENZENE (CAS 100-41-4) **Acute Dermal** 17800 mg/kg LD50 Rabbit Oral Rat LD50 3500 mg/kg * Estimates for product may be based on additional component data not shown. Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes serious eye irritation. irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

BENZENE, DIMETHYL (CAS 1330-20-7) 3 Not classifiable as to carcinogenicity to humans. BENZENE, METHYL- (CAS 108-88-3) 3 Not classifiable as to carcinogenicity to humans.

DICHLOROMETHANE (CAS 75-09-2) 2A Probably carcinogenic to humans. ETHYLBENZENE (CAS 100-41-4) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

DICHLOROMETHANE (CAS 75-09-2) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

DICHLOROMETHANE (CAS 75-09-2) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity Components in this product have been shown to cause birth defects and reproductive disorders in

laboratory animals. Suspected of damaging the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Cor	mponents		Species	Test Results			
BEI	BENZENE, DIMETHYL (CAS 1330-20-7)						
	Aquatic						
	Fish	LC50	Bluegill (Lepomis macrochirus)	7.711 - 9.591 mg/l, 96 hours			
BEI	NZENE, METHYL- (CAS	108-88-3)					
	Aquatic						
	Crustacea	EC50	Water flea (Daphnia magna)	5.46 - 9.83 mg/l, 48 hours			
	Fish	LC50	Coho salmon,silver salmon (Oncorhynchus kisutch)	8.11 mg/l, 96 hours			
DIC	HLOROMETHANE (CAS	3 75-09-2)					
	Aquatic						
	Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours			
	Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours			
ETHYLBENZENE (CAS 100-41-4)							
	Aquatic						
	Crustacea	EC50	Water flea (Daphnia magna)	1.37 - 4.4 mg/l, 48 hours			
	Fish	LC50	Fathead minnow (Pimephales promelas)	7.5 - 11 mg/l, 96 hours			

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

BENZENE, DIMETHYL 3.12 - 3.2BENZENE, METHYL-2.73 **DICHLOROMETHANE** 1.25 **ETHYLBENZENE** 3.15

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents **Disposal instructions**

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: CARB MEDIC CARBURETOR CLEANER M4814, M4824 Version #: 01 Issue date: 05-14-2015

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

UN number Not available.

UN proper shipping name Consumer Commodity

Transport hazard class(es)

Class ORM-D

Subsidiary risk Label(s) 3

Packing group Not applicable.

Environmental hazards

Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB2, T4, TP1 Special provisions

150 Packaging exceptions 202 Packaging non bulk Packaging bulk 242

IATA

UN1950 **UN** number

Aerosol, flammable **UN** proper shipping name

Transport hazard class(es)

Class

6.1(PGI,II,INHAL) Subsidiary risk Packing group Not applicable.

Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Forbidden. Cargo aircraft only

Forbidden.

Not established.

IMDG

UN1950 **UN** number UN proper shipping name Aerosols

Transport hazard class(es)

Class

Subsidiary risk 6.1(PGI,II,INHAL) Packing group Not applicable.

Environmental hazards

Marine pollutant Yes

Not available. **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

BENZENE, DIMETHYL (CAS 1330-20-7) Listed. BENZENE, METHYL- (CAS 108-88-3) Listed. DICHLOROMETHANE (CAS 75-09-2) Listed. ETHYLBENZENE (CAS 100-41-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

DICHLOROMETHANE (CAS 75-09-2) Cancer

Heart

Central nervous system

Liver Skin irritation Eve irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
DICHLOROMETHANE	75-09-2	60 - < 70	
BENZENE, DIMETHYL	1330-20-7	10 - < 20	
BENZENE, METHYL-	108-88-3	10 - < 20	
ETHYLBENZENE	100-41-4	1 - < 3	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

BENZENE, METHYL- (CAS 108-88-3) 6594

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

BENZENE. METHYL- (CAS 108-88-3) 35 %WV

DEA Exempt Chemical Mixtures Code Number

BENZENE, METHYL- (CAS 108-88-3) 594

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

US. Massachusetts RTK - Substance List

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) Carbon Dioxide (CAS 124-38-9) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

US. New Jersey Worker and Community Right-to-Know Act

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) Carbon Dioxide (CAS 124-38-9) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

US. Pennsylvania Worker and Community Right-to-Know Law

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) Carbon Dioxide (CAS 124-38-9) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

US. Rhode Island RTK

BENZENE, DIMETHYL (CAS 1330-20-7) BENZENE, METHYL- (CAS 108-88-3) DICHLOROMETHANE (CAS 75-09-2) ETHYLBENZENE (CAS 100-41-4)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Listed: January 1, 1991

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

DICHLOROMETHANE (CAS 75-09-2) Listed: April 1, 1988 ETHYLBENZENE (CAS 100-41-4) Listed: June 11, 2004

US - California Proposition 65 - CRT: Listed date/Developmental toxin

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin
BENZENE, METHYL- (CAS 108-88-3)
Listed: August 7, 2009

BENZENE, METHYL- (CAS 108-88-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue date 05-14-2015

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.