



AirX 75 – Disinfectant Spray & Wipe Cleaner

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: AirX 75
Date of Safety Data Sheet: March 17, 2017
Use of Preparation: Disinfectant Cleaner
Company Identification: Flexo Products Ltd.
 4777 Kent Avenue
 Niagara Falls, Ontario L2H 1J5
 OFFICE: 905-354-2723

Company Emergency Telephone Number Emergency Phone: 905-354-2723
Transportation Emergency Telephone Number CANUTEC 613-996-6666 or * 666 for cell phone

2. HAZARD IDENTIFICATION

Emergency Overview:
 OSHA / WHMIS 2015 Hazards
 Classification of substance or mixture
 GHS-US/Canadian classification:
 GHS Hazards
 Oral Toxicity Category 4 H 302
 Skin Corrosive Category 1A H314
 Skin Sensitizer Category 1 H317
 Eye Damage Category 1 H318
Label Elements
 GHS-US/ Canada Labeling
Hazard Pictograms (GHS):



Signal Word (GHS): Danger
Hazard Statements (GHS):
 H302 - Harmful if swallowed
 H314 - Causes severe skin burns and eye damage
 H317 - May cause allergic skin reaction.
 H318 - Causes serious eye damage

Date: March 17, 2017

SDS Flexo Products Ltd AirX 75



AirX 75 – Disinfectant Spray & Wipe Cleaner

Precautionary Statements (GHS):

P102: Keep out of reach of children.

P260: Do not breathe mist, spray, and vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing must not be allowed out of the work place

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Benzyl-C12-16-alkldimethyl, chlorides	68424-85-1	0.10-1.0	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Eye Irritation Category 1 – H318
Ethoxylated C12-16 Alcohols	68551-12-2	0.1-1.0	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage/Eye Irritation Category 1 – H318
Tetrasodium EDTA	64-02-8	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion / Irritant Category 2 – H315 Serious Eye Damage/Eye Irritation Category 2A – H319
Fragrance	various	0.05-1.0	Sensitisation / Skin Category 1 - H317



AirX 75 – Disinfectant Spray & Wipe Cleaner

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. If irritation persists, get medical attention.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.
Notes to Physician:	Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Flood with water for extinguishing agent. CO ₂ , dry chemical, alcohol resistant foam
Unsuitable extinguishing media:	None known.
Special exposure hazards	Thermal decomposition releases irritating gases.
Special safety equipment:	Self-contained positive pressure breathing apparatus and protective clothing.
Fire and explosion	Not flammable. Not an explosive hazard.
Further information	Keep containers and surrounding cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.



AirX 75 – Disinfectant Spray & Wipe Cleaner

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Acids, oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection:

Use local exhaust or dilution ventilation.

Hand protection:

Chemical resistant gloves.

Eye protection:

Safety goggles or full face shield.

Skin protection:

Use body-covering impervious clothing.

Working hygiene:

Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure Guidelines:

No ingredients with exposure limits



AirX 75 – Disinfectant Spray & Wipe Cleaner

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

<u>Property</u>	<u>Values</u>	<u>Odour</u>	<u>Remarks/Method</u>
Physical State	Liquid		
Appearance	Clear	Odour	mild
Colour	Green.	Odour Threshold	No data available.
<u>pH</u>	10.30-11.5		
Melting/Freezing Point	No data available		
Boiling Point/Range	No data available		
Flash Point	Not applicable.		
Evaporation Rate	Similar		
Flammability (solid, gas)	Not flammable		
Flammability Limit in Air:			
Upper Limit	No data available		
Lower Limit	No data available		
Vapour Pressure	No data available		
Vapour density	No data available		
Bulk Density	1.04-1.059 g/cm ³		
Water Solubility	Soluble in water.		
Solubility Other Solvents	No data available		
Partition Coefficient:			
n-octanol/water	No data available		
Autoignition temperature	No data available		
Decomposition Temperature	No data available		
Kinematic Viscosity	No data available		
Dynamic Viscosity	No data available		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
<u>Other Properties:</u>			
Softening Point	No data available		
VOC Content %	No data available		
Particle Size	No data available		
Particle Size Distribution	No data available		



AirX 75 – Disinfectant Spray & Wipe Cleaner

10. STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	Stable under recommended handling and storage conditions (see section 7).
Thermal decomposition/conditions to avoid:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	Extremely high or low temperatures.
Hazardous decomposition products	Carbon oxides (CO, CO ₂). Sodium oxides.
Materials to avoid	Reducing agents, oxidizing agent. Strong acids.
Hazardous polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
 Acute toxicity: Harmful if swallowed.
 LD/LC50 values relevant for classification:
 Not calculated
 On the skin: Causes severe skin irritation.
 On the eye: Causes serious eye damage.
 Respiratory or Skin Sensitization: Fragrance classified as skin sensitizer.
 Additional toxicological information:
 Carcinogenicity:
 Chemical Name None

12. ECOLOGICAL INFORMATION

Toxicity:	Not classified
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	
Other Information:	All of the organic components of this product are readily biodegradable.



AirX 75 – Disinfectant Spray & Wipe Cleaner

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 5 litres can be shipped Limited Quantity)

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III



US DOT: Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: N-alkyl dimethyl benzyl ammonium chloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III





AirX 75 – Disinfectant Spray & Wipe Cleaner

Water Transportation (IMDG): Regulated Material
 Proper Shipping Name: Corrosive Liquid, N.O.S.
 Contains: N-alkyl dimethyl benzyl ammonium chloride
 Hazard Class: 8
 ID Number: UN 1760
 Packing Group: III



Air Transportation (IATA): Regulated Material
 Proper Shipping Name: Corrosive Liquid, N.O.S.
 Contains: N-alkyl dimethyl benzyl ammonium chloride
 Hazard Class: 8
 ID Number: UN 1760
 Packing Group: III



15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:
 WHMIS 1988 Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

Date: March 17, 2017

SDS Flexo Products Ltd AirX 75



AirX 75 – Disinfectant Spray & Wipe Cleaner

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	-
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)



AirX 75 – Disinfectant Spray & Wipe Cleaner

16. OTHER INFORMATION

Prepared By: Flexo Products Ltd.
4777 Kent Avenue
Niagara Falls, Ontario
L2H 1J5
905-354-2723

Issuing Date: March 17, 2017

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet